

PUBLIKATIONEN der Chirurgischen Abteilung

Does Total Neoadjuvant Therapy Impact Surgical Precision in Total Mesorectal Excision? A Nationwide Survey of the Experiences of Expert Surgeons.

Jäger T, Zitt M, Riss S, Presl J, Schredl P, Neureiter D., Ramspott JP, Tschann P, Brunner W., Nehoda H., Pressl G, Rohregger K, Sucher R, Jenic G, Heubergaer A, Kafka-Ritsch R., Tschmelitsch J, Schabl L, Donauer I, Dermuth F, Rokitte K, Sinhartinger F, Holzinger J, Königsrainer I, Emmanuel K., Aigner F.
Cancers (Basel) 2025 Jan 17;17(2):283. doi: 10.3390/cancers17020283
PMID: 39858065 **Free PMC article**

Pre- and Postoperative Levels of Carcinomembryonic Antigen in Microsatellite Stable Versus Instable Colon Cancer: a Retrospective Analysis

Salas Campos DA, Weihs D, Rosenkranz M, Lnanger C, Geigl JB, Tschmelitsch J, Eberl T.
J. Gastrointest Cancer. 2023 Jun;54(2):600-605. Doi:10.1007/s12029-022-00841-z. Epub 2022 Jun 18.
PMID 35716336

INSPECT: A Retrospective Study of Evaluate Long-term Effectiveness and Safety of Darvadstrocel in Patients With Perianal Fistulizing Crohn's Disease Treated in the ADMIRE-CD- Trial.

Pane's J., Bouma G., Ferrante M, Kucharzik T, Nachury M, de la Portilla de Juan F, Reinisch W, Selvaggi F, Tschmelitsch J, Brett NR, Ladouceur M, Binek M, Hntsberger G, Campbell-Hill S, Karki C, Buskens C.
Inflamm Bowel Dis. 2022 Nov. 2;28(11):1737-1745. Doi: 10.1093/ibd/izab361.
PMID: 35099555 **Free PMC article.**

The long-term influence of hospital and surgeon volume on local control and survival in the randomized German Rectal Cancer Trial CAO/ARO/AIO-94.

Sprenger T, Beißbarth T, Sauer R, Tschmelitsch J, Fietkau R, Hohenberger W, Staib L, Raab HR, Rödel C, Ghadimi M. Surg Oncol. 2020 Dec;35:200-205. doi: 10.1016/j.suronc.2020.08.021.
Epub 2020 Aug 26. PMID: 32896776

Prophylactic salpingectomy for prevention of ovarian cancer at the time of elective laparoscopic cholecystectomy.

Tomasch G, Lemmerer M, Oswald S, Uranitsch S, Schauer C, Schütz AM, Bliem B, Berger A, Lang PFJ, Rosanelli G, Ronaghi F, Tschmelitsch J, Lax SF, Uranues S, Tamussino K. Br J Surg. 2020 Apr;107(5):519-524. doi: 10.1002/bjs.11419.
Epub 2020 Mar 4. PMID: 32129898 **Free PMC article.**

Pancho trial (p53-adapted neoadjuvant chemotherapy for resectable esophageal cancer) completed-mutation rate of the marker higher than expected.

Kappel-Latif S, Zacherl J, Hejna M, Westerhoff M, Tamandl D, Ba-Ssalamah A, Mittlböck M, Wolf B, Wrba F, Kühner I, Pluschnig U, Schoppmann SF, Függer R, Zwirtek R, Glaser K, Karner J, Längle F, Wenzl E, Roka R, Öfner D, Tschmelitsch J, Hold M, Keil F, Gnant M, Kandioler D; Pancho trialists and for the Medical University of Vienna p53research group.
Eur Surg. 2018;50(4):160-166. doi: 10.1007/s10353-018-0527-z. Epub 2018 Jun 11. PMID: 30559831

Long-term prognostic impact of surgical complications in the German Rectal Cancer Trial CAO/ARO/AIO-94.

Sprenger T, Beißbarth T, Sauer R, Tschmelitsch J, Fietkau R, Liersch T, Hohenberger W, Staib L, Gaedcke J, Raab HR, Rödel C, Ghadimi M.
Br J Surg. 2018 Oct; 105(11):1510-1518.

Long-term Efficacy and Safety of Stem Cell Therapy (Cx601) for Complex Perianal Fistulas in Patients With Crohn`s Disease

ADMIRE CD Study Group Collaborators.
Gastroenterology. 2018 Apr;154(5):1334-1342

A prospective, multicenter pilot study to investigate the feasibility and safety of a 1-year controlled exercise training after adjuvant chemotherapy in colorectal cancer patients.

Piringer G, Fridrik M, Fridrik A, Leiherer A, Zabernigg A, Greil R, Eisterer W, Tschmelitsch J, Lang A, Frantal S, Burgstaller S, Gnant M, Thaler J
Austrian Breast and Colorectal Cancer Study Group (ABCSSG)
Support Care Cancer. 2018 Apr;(4):1345-1352

Prospective validation of a lymphocyte infiltration prognostic test in stage III colon cancer patients treated with adjuvant FOLFOX

PETACC8 Study Investigators
Eur J Cancer.2017 Sep;82:16-24

Neoadjuvant Chemoterapy with Cepecitabine, Oxaliplatin and Bevacizumab Followed by Concomitant Chemoradiation ans Surgical Resection in Locally Advanced Rectal Cancer with High Risk of Recurrence - A Phase II Study

Anticancer Res. 2017 May; 37(%):2683-2691
Eisterer W, Piringer G, DE Vries A, Öfner D, Greil R, Tschmelitsch J, Samonigg H, Sölkner L, Gnant M, Thaler J.

Tumor size, tumor location and antitumor inflammatory response are associated with lymph node size in colorectal cancer patients.

Mod. Pathol. 2017 Jun; 30(6):897-904. doi: 10.1038/modpathol.2016.227
Ortrun Rössler, Johannes Betge, Lars Harbaum, Karl Mrak, Jörg Tschmelitsch, Cord Langner.

Diverting ileostomy versus no diversion after low anterior resection for rectal cancer: A prospective, randomized, multicenter trial.

Surgery. 2016; 159(4):1129-1139
** Mrak, K; Uranitsch, S; Pedross, F; Heuberger, A; Klingler, A; Jagoditsch, M; Weihs, D; Eberl, T;
Tschmelitsch, J

Expanded allogeneic adipose-derived mesenchymal stem cells (Cx601) for complex perianal fistulas in Crohn's disease: a phase 3 randomised, double-blind controlled trial.

Lancet. 2016; 388(10051): 1281-1290.

** Panés, J; García-Olmo, D; Van Assche, G; Colombel, JF; Reinisch, W; Baumgart, DC; Dignass, A; Nachury, M; Ferrante, M; Kazemi-Shirazi, L; Grimaud, JC; de la Portilla, F; Goldin, E; Richard, MP; Leselbaum, A; Danese, S; ADMIRE CD Study Group Collaborators

Epidural versus intravenous patient controlled analgesia after laparoscopic gastric bypass surgery.

Journal of obesity & weight loss therapy. 2016; 6(2): 1-6.

Neuwersch, S; Zink, M; Stadlbauer-Köllner, V; Mrak, K

TP53 Mutational Status and Prediction of Benefit from Adjuvant 5-Fluorouracil in Stage III Colon Cancer Patients.

EBioMedicine. 2015 Jun 8;2(8):825-30. doi: 10.1016/j.ebiom.2015.06.003.

Kandioler D, Mittlböck M, Kappel S, Puhalla H, Herbst F, Langner C, Wolf B, **Tschmelitsch J**, Schippinger W, Steger G, Hofbauer F, Samonigg H, Gnant M, Teleky B, Kühner I; p53 Research Group and the Austrian Breast and Colorectal Study Group (ABCSCG).

Adjuvant denosumab in breast cancer (ABCSCG-18): a multicentre, randomised, double-blind, placebo-controlled trial.

Austrian Breast and Colorectal Cancer Study Group..

Lancet. 2015 Aug 1;386(9992):433-43

Grant M, Pfeiler G, Dubsky PC, Hubalek M, Greil R, Jakesz R, Wette V, Balic M, Haslbauer F, Melbinger E, Bjelic-Radicic V, Artner-Matuschek S, Fitzal F, Marth C, Sevelida P, Mlineritsch B, Steger GG, Manfreda D, Exner R, Egle D, Bergh J, Kainberger F, Talbot S, Warner D, Fesl C, Singer CF;

Preoperative Treatment with capecitabine, cetuximab and radiotherapy for primary locally advanced rectal cancer--a phase II clinical trial.

Austrian Breast and Colorectal Cancer Study Group (ABCSCG)..

Anticancer Res. 2014 Nov; 34(11):6767-73

Eisterer W, De Vries A, Öfner D, Rabl H, Koplmüller R, Greil R, Tschmelitsch J, Schmid R, Kapp K, Lukas P, Sedlmayer F, Höfler G, Gnant M, Thaler J;

Prognostic value of KRAS mutations in stage III colon cancer: post hoc analysis of the PETACC8 phase III trial dataset.

PETACC-8 Study Investigators..

Ann Oncol.2014 Dec;25(12):2378-85 Erratum in: [Ann Oncol.2015 Apr;26\(4\):822-5.](#)

Oxaliplatin, fluorouracil, and leucovorin with or without cetuximab in patients with resected stage III colon cancer (PETACC-8): an open-label, randomised phase 3 trial.

PETACC-8 Study Investigators..

Lancet Oncol.2014 Jul;15(8).862-73.10.1016/S1470-2045(14)70227-X

Giant villous duodenal adenoma with malignant change: an unusual cause of obstructive jaundice.

Endoscopy.2013;45 Suppl 2 UCTN:E376-7'.1055/s-0033-1344795. No abstract available.

PMID: 24285056

Setaffy L, Siebert F, **Tschmelitsch J**, Lackner H, Langner C.

Gender affects acute organ toxicity during radiochemotherapy for rectal cancer: long-term results of the German CAO/ARO/AIO-94 phase III trial.

German Rectal Cancer Study Group.

Radiother Oncol. 2013 Jul;108(1):48-54

Wolff HA, Conradi LC, Beissbarth T, Leha A, Hohenberger W, Merkel S, Fietkau R, Raab HR, **Tschmelitsch J**, Hess CF, Becker H, Wittekind C, Sauer R, Rödel C, Liersch T;

Long-term quality of life in pouch patients compared with stoma patients following rectal cancer surgery.

Colorectal Dis. 2011 Dec;13(12):e403-10. Doi: 10.1111/j.1463-1318.2011.02740.x.

PMID: 21812896

Mrak K, Jagoditsch M, Eberl T, Klingler A, **Tschmelitsch J**.

Impact of postoperative complications on long-term survival after resection for rectal cancer

Dis Colon Rectum. 2103 Jan; 56(1):20-8. doi: 10.1097/DCR. 0b013e31826f2672

Influence of body mass index on postoperative complications after rectal resection for carcinoma

South Med. J 2012 Oct; 105(10):493-9. doi:10.1097/SMJ,.0b013e3182666f09

Mrak K., Eberl T, Fritz J, **Tschmelitsch J**.

Axillary Dissection in the Case of Positive Sentinel Lymph Nodes: Results of the Innsbruck Consensus Conference

Geburtshilfe Frauenheilkd. 2012 Apr; 72 (4):293-298

Hubalek M, Bartsch R, Gnant M, Kapp KS, Lang A, Lax S, Lukas P, Neunteufel W, Pristauz G, Reitsamer R, Sandbilcher P, Schrenk P, Singer C, Tamussino K, **Tschmelitsch J**, Zeimet AG, Marth C.

Influence of pT3 subgroups on outcome of R0-resected colorectal tumors

South Med J. 2011 Nov; 104(11):722-30. doi: 10. 1097/SMJ.0b013e3182321271

Mrak K, Jagoditsch M, Leibl S, Klingler A, **Tschmelitsch J**.

Long-term quality of life in pouch patients compared with stoma patients following rectal cancer surgery

Colorectal Dis. 2011 Dec;13(12):e403-10. doi: 10.1111/j.1463-1318.2011.02740.x.

Mrak K, Jagoditsch M, Eberl T, Klingler A, **Tschmelitsch J**.

Signet ring cell cancer in a patient with Russell body gastritis -- a possible diagnostic pitfall

Histopathology 2011 Jun; 58(7): 1178-80. doi 10.1111/j. 1365-2559.2011.03876.x.. No abstract available.

Wolf EM, Mrak K, **Tschmelitsch J**, Langner C

Peroperative oxaliplatin, capecitabine and external beam radiotherapy in patients with newly diagnosed primary operable cT3, NxM0, low rectal cancer: a phase II study

Strahlenther Onkol. 2011 Feb; 187(2):100-7. doi:10.1007/s00066-010-2182-6. Epub 2011 Jan 21

Offner D, Devries AF, Schaberl-Moser R, Greil R, Rabl H, **Tschmelitsch J**, Zitt M, Kapp KS, Fastner G, Keil F, Eisterer W, Jäger R, Offner F, Gnant M, Thaler J, TAKO 05/ABCSG R-02-Trial Investigators.

Overview of the randomized trials of radiotherapy in ductal carcinoma in situ of the breast

J Natl Cancer Inst Monogr. 2010;2010(41):162-77. doi: 10.1093/jncimonographs/lgg039. Review

Heterotopic pancreatic tissue in the cystic duct: complicating factor or coexisting pathology

South Med. J 2010 May;103(5):471-3. doi: 10.1097/SMJ.0b013e3181d839c4

Mrak K, Eberl T, **Tschmelitsch J**, Langner C

Ileocecal intussusception caused by lung cancer metastasis

Wien Klin. Wochenschr. 2009;121(11-12): 412-6. doi: 10.1007/s00508-009-1146-2

Polheimer MJ, Eberl T, Baumgartner K, Polheimer VS, Tschmelitsch J, Lackner H, Langner C

Solitary giant splenic metastasis in a patient with metachronous gastric cancers.

South Med. J 2009 Aug; 102(8):864-6. doi: 10.1097/SMJ.0b013e3181ac1776

Sunitsch S, Eberl T, Jagoditsch M, Filipot U., Tschmelitsch J, Langner C.

Endocrine therapy plus zoledronic acid in premenopausal breast cancer

ABCSG-12 Trial Investigators,.

N Engl J.Med. 2009. Feb 12; 360(7):679-91

Adjuvant endocrine therapy plus zoledronic acid in premenopausal women with early-stage breast cancer: 5 year follow-up of the ABCSG-12 bone-mineral density substudy

ABCSG

Lancet Oncol. 2008 sep;9(9):840-9.

Risk factors for anastomotic leakage after resection for rectal cancer

Am J Surg. 2008 Oct; 196(4):592-8.

Eberl T, Jagoditsch M, Klinger A, Tschmelitsch J.

Perioperative chemotherapy with FOLFOX4 and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC Intergroup trial 40983): a randomised controlled trial

Arbeitsgruppe Lebermetastasen und -tumoren in der Chirurgischen Arbeitsgemeinschaft Onkologie (ALM-CAO);

Australasian Gastro-Intestinal Trials Group (AGITG) Fédération Francophone de Cancérologie Digestive (FFCD)

Lancet. 2008 Mar 22;371 (9617):1007-16

The potential risk of neoadjuvant chemotherapy in breast cancer patients -- results from a prospective randomized trial of the Austrian Breast and Colorectal Cancer Study Group (ABCSG-07)

Breast Cancer res Treat. 2008 Nov; 112(2):309-16.

Taucher S, Steger GG, Jakesz R, Tausch C, Wette V, Schippinger W, Kwasny W, Reiner G, Greil R, Dubsky P, Poestlberger S, Tschmelitsch J, Samonigg H, Gnant M.

A prospective randomised phase III trial of adjuvant chemotherapy with 5-fluorouracil and leucovorin in patients with stage II colon cancer

ABCSG Study Group

Br J Cancer. 2007 Oct 22; 97(8):1021-7

Schippinger W, Samonigg H, Schabertl-Moser R, Greil R, Thödtmann R, Tschmelitsch J, Jagoditsch M, Steger GG, Jakesz R, Herbst F, Hofbauer F, Rabl H, Wohlmuth P, Gnant M, Thaler J

Impact of blood transfusions on recurrence and survival after rectal cancer surgery

Dis Colon Rectum 2006 Aug; 40(8):116-30

Jagoditsch M., Pozgainer P, Klinger A, Tschmelitsch J

Peroperative versus postoperative chemotherapy for rectal cancer

German Rectal Cancer Study Group

N Engl J. Med 2004 Oct 21;351(17):1731-40

Sauer R, Becker H, Hohenberger W, Rödel C, Wittekind C, Fietkau R, Martus P, Tschmelitsch J, Hager E, Hess CF, Karstens JH, Liersch T, Schmidberger H, Raab R

Adjuvant vs. neoadjuvant radiochemotherapy for locally advanced rectal cancer

The German Trial CAO/ARO/AIO-94

Colorectal Dis. 2003. Sep; 5(5):406-15

Sauer R, Fietkau R, Wittekind C, Rödel C, Martus P, Hohenberger W, Tschmelitsch J, Sabitzer H, Karstens JH, Becker H, Hess C, Raab R

In vivo release of vascular endothelial growth factor from colorectal carcinomas

Oncology. 2002;62(4):313-7

Gunsilius E, Tschmelitsch J., Eberwein M, Schwelberger H, Spizzo G, Kähler CM, Stockhammer G., Lang A, Petzer AL, Gastl G.

Randomized clinical trials in colon cancer

Surg Oncol Clin N Am. 2002 Jan;11(1):133-48

Shoup MC, Nissan A, Dangelica MI, Tschmelitsch H

Modern staging in gastric cancer

Surg Oncol. 2000 Jul;9(1):23-30

Tschmelitsch J, Weiser MR, Karpeh MS

Central liver hematomas caused by mountain-bike crashes

Injury. 2001 May; 32(4):285-7

Nehoda H, Hochleitner BW, Hourmont K, Weiss H, Langthaler M, Tschmelitsch J

Correspondence re: M.L George [correction of H.L. George] et al. Correlation of plasma and serum vascular endothelial growth factor levels with platelet count in colorectal cancer: clinical evidence of platelet scavenging? Clin. Cancer Res., 6: 3147-3152;2000.

Clin. Cancer res 2001 Feb; 7(2):443-4. No abstract available. Erratum in: Clin Cancer Res 2001 Apr; 7(4):1102

Gunsilius E, Tschmelitsch J, Petzer AL

Lymph node micrometastases do not predict relapse in stage II colon cancer

Ann Surg Oncol. 2000 Sept; 7(8):601-8

Tschmelitsch J, Klimstra DS, Cohen AM

Colostomy vs tube cecostomy for protection of a low anastomosis in rectal cancer

Arch Surg. 1999 Dec; 134(12):1385-8

Tschmelitsch J, Wykypiel H, Prommegger R, Bodner E

The use of ultrasound to differentiate rectus sheath hematoma from other acute abdominal disorders

Surg Endosc. 1999 Nov; 13(11):1129-34

Klinger PJ, Wetscher G, Glaser K, Tschmelitsch J., Schmid T, Hinder RA

¹³¹I radioimmunotherapy and fractionated external beam radiotherapy: comparative effectiveness in a human tumor xenograft

J Nucl Med. 1999 Oct;40(10):1764-8.

Barendswaard ED, O'Donoghue JA, Larson SM, Tschmelitsch J, Welt S, Finn RD, Humm JL